

### **DETAILED ACTION**

1. This office action is in response to an amendment filed March 24, 2010. Claims 9-16 were previously allowed, however the sequence listing submission was deficient. Applicant's submission of a new sequence listing removes all of the previously presented objections, putting the application in condition for allowance.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TERESA E. STRZELECKA whose telephone number is (571)272-0789. The examiner can normally be reached on M-F (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571) 272-0782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Teresa E Strzelecka  
Primary Examiner  
Art Unit 1637

Application/Control Number: 10/594,256

Page 3

Art Unit: 1637

/Teresa E Strzelecka/

Primary Examiner, Art Unit 1637

June 11, 2010